

## ROTOMAX



240150



240155

Art. Nr.	Type	P (bar)	Q (l/min)	Kleur
240150	Rotomax 1	70 - 140	6 - 10	rood
240155	Rotomax 2	100 - 250	11 - 15	blauw
240160	Rotomax 3	100 - 250	16 - 21	zwart
240163	Rotomax 4	100 - 250	16 - 26	grijs

Messing vuilfrees

Door het huis te verdraaien keuze tussen puntstraal of roteren.

**Aansluiting** : 1/4" bi.  
**Temp. max.** : 80 °C  
**Spuithoek** : Naar keuze 0° of 15°

Art. Nr.	Type	P (bar)	Q (l/min)	Kleur
240165	Rotomax 401	100 - 400	9 - 18	rood
240170	Rotomax 402	100 - 400	13 - 25	zwart

## UR25 - 1/4" BI.



240105

Art. Nr.	Nozzlemaat	Kleur	Rep. set
240105	030	wit	P25165924
240106	035	bruin	P25166024
240107	040	geel	P25163324
240108	045	blauw	P25163724
240109	050	paars	P25163824

Messing vuilfrees

**Aansluiting** : 1/4" bi.  
**Druk min./max.** : 80 / 250 bar  
**Temp. max.** : 100 °C  
**Spuithoek** : 20°

Art. Nr.	Nozzlemaat	Kleur	Rep. set
240110	055	rood	P25166824
240111	060	groen	P25163924
240112	065	lichtblauw	P25164024
240113	070	oranje	P25164124
240115	080	zilver	P25166924

## UR25 - M18 BI.



240090

Art. Nr.	Nozzlemaat	Kleur	Rep. set
240090	030	wit	P25165924
240091	035	bruin	P25166024
240092	040	geel	P25163324
240093	045	blauw	P25163724
240094	050	paars	P25163824

Messing vuilfrees

**Aansluiting** : M18 x 1,5 wartel  
**Druk min./max.** : 80 / 250 bar  
**Temp. max.** : 100 °C  
**Spuithoek** : 20°

Art. Nr.	Nozzlemaat	Kleur	Rep. set
240095	055	rood	P25166824
240096	060	groen	P25163924
240097	065	lichtblauw	P25164024
240098	070	oranje	P25164124

## UR32



240125

Art. Nr.	Nozzlemaat	Kleur	Rep. set
240125	030	wit	P25165924
240126	035	bruin	P25166024
240127	040	geel	P25163324
240128	045	blauw	P25163724
240129	050	paars	P25163824

Messing vuilfrees

**Aansluiting** : 1/4" bi.  
**Druk min./max.** : 180 / 350 bar  
**Temp. max.** : 100 °C  
**Spuithoek** : 20°

Art. Nr.	Nozzlemaat	Kleur	Rep. set
240131	055	rood	P25166824
240132	060	groen	P25163924
240134	070	oranje	P25164024
240137	080	zilver	P25164124

## TN255



240346

Art. Nr.	Nozzlemaat	Rep. set
240346	020	RS03020
240348	025	RS03025
240350	030	RS03030
240352	035	RS03035
240354	040	RS03040
240356	045	RS03045
240358	050	RS03050
240360	055	RS03055
240362	060	RS03060

Messing vuilvrees

**Aansluiting** : 1/4" bi.  
**Werkdruk max.** : 255 bar  
**Temp. max.** : 90 °C  
**Spuithoek** : 20°

Art. Nr.	Nozzlemaat	Rep. set
240364	065	RS03065
240366	070	RS03070
240367	075	RS03075
240368	080	RS03080
240369	085	RS03085
240370	090	RS03090
240372	100	RS03100
240377	120	RS03120
240378	130	RS03130

## TN255 - 30°



240344

Art. Nr.	Nozzlemaat
240336	020
240338	030
240339	035
240340	040
240341	045

Messing vuilvrees, spuithoek 30°, zonder beschermingshoes

**Aansluiting** : 1/4" bi.  
**Werkdruk max.** : 255 bar  
**Temp. max.** : 90 °C  
**Spuithoek** : 30°

Art. Nr.	Nozzlemaat
240342	050
240344	060
240345	065
240347	075

## TN255 - 40°



240311

Art. Nr.	Nozzlemaat
240311	020
240312	025
240313	030
240314	035
240315	040

Messing vuilvrees, spuithoek 40°, zonder beschermingshoes

**Aansluiting** : 1/4" bi.  
**Werkdruk max.** : 255 bar  
**Temp. max.** : 90 °C  
**Spuithoek** : 40°

Art. Nr.	Nozzlemaat
240316	045
240317	050
240318	055
240319	065

## TN350



240380

Art. Nr.	Nozzlemaat	Rep. set
240379	020	TN06RS20AA
240380	025	TN06RS25AA
240381	030	TN06RS30AA
240382	035	TN06RS35AA
240383	040	TN06RS40AA
240384	045	TN06RS45AA
240385	050	TN06RS50AA
240386	055	TN06RS55AA
240387	060	TN06RS60AA
240388	065	TN06RS65AA
240389	070	TN06RS70AA

Messing vuilvrees

**Aansluiting** : 1/4" bi.  
**Werkdruk max.** : 350 bar  
**Temp. max.** : 90 °C  
**Spuithoek** : 20°

Art. Nr.	Nozzlemaat	Rep. set
240391	080	TN06RS80AA
240393	090	TN06RS90AA
240395	100	TN06RS100AA
240396	110	TN06RS110AA
240397	120	TN06RS120AA
240399	150	TN06RS150AA
240321	170	TN06RS170AA
240320	200	TN06RS200AA
240322	300	TN06RS300AA
240323	350	TN06RS350AA

## UR1



240212

Art. Nr.	Nozzlemaat
240212	030
240213	035
240214	040
240215	045

RVS / messing vuilvrees met kunststof beschermkap

**Aansluiting** : 1/4" NPT bu.  
**Werkdruk max.** : 350 bar  
**Temp. max.** : 80 °C

Art. Nr.	Nozzlemaat
240216	050
240217	060
240218	080
240219	090

## UR3



240221

Art. Nr.	Nozzlemaat
240221	035
240224	050
240225	060
240227	070

RVS / messing vuilvrees met kunststof beschermkap

**Aansluiting** : 1/2" bi.  
**Werkdruk max.** : 500 bar  
**Temp. max.** : 80 °C

Art. Nr.	Nozzlemaat
240229	080
240231	100
240233	120

## TN500



240246

Art. Nr.	Nozzlemaat	Rep. set
240246	020	TN15RS20SB
240247	025	TN15RS25SB
240248	030	TN15RS30SB
240249	035	TN15RS35SB
240250	040	TN15RS40SB
240251	045	TN15RS45SB
240253	050	TN15RS50SB
240254	055	TN15RS55SB
240255	060	TN15RS60SB

RVS vuilvrees

**Aansluiting** : 1/4" bi.  
**Werkdruk max.** : 500 bar  
**Temp. max.** : 90 °C  
**Spuithoek** : 20°

Art. Nr.	Nozzlemaat	Rep. set
240256	065	TN15RS65SB
240257	070	TN15RS70SB
240258	075	TN15RS75SB
240259	080	TN15RS80SB
240269	085	TN15RS85SB
240260	090	TN15RS90SB
240261	100	TN15RS100SB
240262	110	TN15RS110SB
240363	120	TN15RS120SB